

## VENICUT 50



TAEKI® 5 KNITTED GLOVE - COWHIDE LEATHER PALM

Ref. VECUT50



### Product specifications

TAEKI® 5 High performance polyethylene fibre. Cowhide on palm and fingertips. Gauge 10.

Synthetic fibre TAEKI 5 (high performance)  
Cowhide leather

**COLOUR**  
Yellow-Grey

**SIZE**  
09, 10

### Product Use - Risks



Heat



Cutting / Perforation



Wearing



Construction / Civil engineering



Heavy industry



Light industry



Services /

Logistics



Oil / Gas



Mining

## Product's highlights & user's benefits

Split leather :

- Very good abrasion resistance
- Ideal for heavy work

TAEKI® 5 high performance polyethylene:

- Excellent cut resistance
- Maximum abrasion performance
- Heat resistance up to 250°C

Reinforced thumb crotch

## Certifications and Standards



DIRECTIVE EPI 89/686/CEE

**EN420:2003+A1:2009 General requirements**

5: Dexterity



**EN388:2003 Protective gloves against mechanical Risks (Levels obtained on the palm)**



- 4: Resistance to abrasion (from 0 to 4)
- 5: Resistance to cut (from 0 to 5)
- 4: Resistance to tear (from 0 to 4)
- 3: Resistance to perforation (from 0 to 4)



**EN407:2004 Protective gloves against Heat & Fire risks (X = Unrealized test)**

- X: Resistance to flammability (from 1 to 4)
- 2: Resistance to contact heat (from 1 to 4)
- X: Resistance to convective heat (from 1 to 4)
- X: Resistance to radiant heat (from 1 to 4)
- X: Resistance to small projections of molten metal (from 1 to 4)
- X: Resistance to large projections of molten metal (from 1 to 4)

References

References	Bar code	COLOUR	SIZE		
VECUT5009	3295249157289	Yellow-Grey	09	60	12
VECUT5010	3295249157296	Yellow-Grey	10	60	12