

VENICUT55



TAEKI® 5 KNITTED GLOVE - WITHOUT COATING

Ref. VECUT55



Product specifications

TAEKI® 5 High performance polyethylene fibre. Gauge 10.

Synthetic fibre TAEKI 5 (high performance)

COLOUR

Yellow-Grey

SIZE

07, 09, 10

Product Use - Risks



Heat



Cutting / Perforation



Wearing



Construction / Civil engineering



Heavy industry



Light industry

Product's highlights & user's benefits

Food compatibility

TAEKI® 5 high performance polyethylene:

- Excellent cut resistance
- Maximum abrasion performance



Cut level 5



Cut level C

Certifications and Standards



PPE DIRECTIVE 89/686/EEC

EN420:2003+A1:2009 General requirements

5: Dexterity (from 1 to 5)

EN388:2003 Protective gloves against mechanical Risks (Levels obtained on the palm)

3: Resistance to abrasion (from 1 to 4)

5: Resistance to cutting (from 1 to 5)

4: Resistance to tear (from 1 to 4)

X: Resistance to puncture (1 to 4)



EN407:2004 Protective gloves against Heat & Fire risks (X = Unrealized test)

X: Resistance to flammability (from 1 to 4)

1: Resistance to contact heat (from 1 to 4)

X: Resistance to convective heat (from 1 to 4)

X: Resistance to radiant heat (from 1 to 4)

X: Resistance to small projections of liquid metal (from 1 to 4)

X: Resistance to large projections of molten metal (from 1 to 4)



REGULATION (EU) 1935/2004 CONTACT WITH FOOD PRODUCTS

GLOBAL MIGR Food contact - Overall Migration

.. Contact with wet or watery food

.. Contact with fatty foods

.. Contact with acidic foods

USA STANDARDS



ANSI-ISEA 105:2016 Hand Protection

A3: Resistance to cutting by sharp objects (from A1 to A9)

References

References	Bar code	COLOUR	SIZE		
VECUT5507	3295249157227	Yellow-Grey	07	120	12
VECUT5509	3295249157234	Yellow-Grey	09	120	12
VECUT5510	3295249157241	Yellow-Grey	10	120	12